

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	RAID and (configuration near10 (flash near2 RAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 07:42
L2	410	RAID and ((flash near2 RAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 07:43
L3	11	RAID same configuration same (flash near2 RAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 07:47
L4	36	RAID and (configuration same (flash near2 RAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 07:47
L5	3134	RAID and (configuration same (drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 07:55
L6	3103	RAID and (configuration near10 (disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 07:55
L7	1161	RAID near10 (configuration near10 (disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 07:56

L8	1089	RAID near5 (configuration near10 (disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 07:56
L9	770	RAID near5 (configuration near5 (disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 07:56
L11	0	RAID near10 (configuration near10 save\$1 near10 (flash near2 RAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 08:24
L12	0	RAID near10 configuration near10 save\$1 near10 (flash near2 RAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 08:25
L13	2	configuration near10 save\$1 near10 (flash near2 RAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 08:25
L14	205	configuration near10 save\$1 near10 (disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 08:26
L15	5	raid near10 configuration near10 save\$1 near10 (disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 08:26
L16	7	raid same (configuration near10 save\$1 near10 (disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 08:26

L17	0	raid same (configuration near10 save\$1 near10 (flash adj (memory or ram)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 08:32
L18	0	raid near10 (configuration near10 save\$1 near10 (flash adj (memory or ram)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 08:32
L19	10	raid near10 (configuration near10 (flash adj (memory or ram)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/10 08:32
S1	1707	(711/114).CCLS.	USPAT; USOCR	OR	OFF	2008/03/04 09:05
S2	23	RAID same (initializ\$5 near10 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 09:06
S3	0	(consistecny near2 initialization) and (RAID same (initializ\$5 near10 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 09:13
S4	2	RAID same (initializ\$5 near10 progress near10 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 09:15
S5	14	RAID same (initializ\$5 near10 progress)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 09:23
S6	60	INFORTREND adj TECHNOLOGY	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/04 09:39

S7	2812	RAID and ((configuration or initialization) same (stor \$2 or sav\$2 or maintain \$2) same disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 09:39
S8	583	RAID and ((configuration or initialization) near10 (stor\$2 or sav\$2 or maintain\$2) near10 disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 09:41
S9	554	RAID and ((configuration) near10 (stor\$2 or sav\$2 or maintain\$2) near10 disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 09:41
S10	2666	RAID and ((configuration) same (stor\$2 or sav\$2 or maintain\$2) same disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 09:41
S11	2414	RAID and (configuration same stor\$2 same disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 09:41
S12	14745	(configuration same stor \$2 same disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 09:41
S13	494	RAID and (configuration near10 stor\$2 near10 disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 09:42
S14	21	RAID and (configuration near10 saved near10 disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 09:44

S15	5	RAID near10 (configuration near10 saved near10 disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 09:44
S16	1271	RAID same (configuration or initialization) same (stor \$2 or sav\$2 or maintain \$2) same disk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 09:44
S17	145	RAID near10 configuration near10 stor\$2 near10 disk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 09:45
S18	0	RAID near10 failure near10 replace near10 rebuild\$3 near10 initializ \$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 10:45
S19	0	RAID near10 fail\$3 near10 replace near10 rebuild\$3 near10 initializ \$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 10:45
S20	0	fail\$3 near10 replace near10 rebuild\$3 near10 initializ\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 10:45
S21	23	fail\$3 same replace same rebuild\$3 same initializ\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 10:46
S22	154	fail\$3 same replace same rebuild\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 10:56

S23	49	RAID same fail\$3 same replace same rebuild\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 10:56
S24	10	access near10 initialized near10 predetermin\$2 near2 value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:35
S25	23	read near10 initialized near10 predetermin\$2 near2 value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:37
S26	36	read same ((non or un or "not") near2 (configure\$2 or initialized)) same ((predetermin\$2 near2 value) or zero)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:38
S27	4516	read same ((configure \$2 or initialized)) same ((predetermin\$2 near2 value) or zero)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:42
S28	144	RAID and (read same ((configure\$2 or initialized)) same ((predetermin\$2 near2 value) or zero))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:42
S29	2	RAID same read same (configure\$2) same (predetermin\$2 near2 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:50
S30	32	read same (configure \$2) same disk same (predetermin\$2 near2 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:50

S31	12	disk near10 read near10 error near10 (predetermined near2 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:51
S32	240	disk same read same error same (predetermined near2 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:52
S33	0	(disk near10 read) same (predetermined near2 error near2 message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:58
S34	7599	(disk near10 read) same (predetermined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:58
S35	192	(disk near10 read) same (error near2 message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:58
S36	5	(disk near10 read) same (predetermined near2 message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:58
S37	192	(disk near10 read) same (error near2 message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/07 12:58

3/10/2008 9:41:00 AM

C:\Documents and Settings\Cbirkhimer\My Documents\EAST\Workspaces\10711816.wsp